

Skid Steer, Multi Terrain & Compact Track Loaders

216B3 242B3 252B3 259B3 277C2 289C2
 226B3 246C 256C 262C2 279C2 299D
 236B3 247B3 257B3 272D 287C2



Augers



	Model	Drive Shaft Torque @ Max Pressure		Drive Method
		Nm	(lbf ft)	
A14B	All	2304	(1700)	Direct
A19B	All	4118	(3037)	Planetary
A26B	C & D Series Models/ 226B3	6826	(5034)	Double Planetary

Backhoes



	Model	Bucket Breakout Force		Dig Depth	
		kg	(lb)	mm	(in)
BH150	216B3/ 226B3/ 242B3/ 247B3/ 257B3/ 259B3	3241	(7146)	3074	(121)
BH160	C & D Series Models/ 236B3/ 252B3	3241	(7146)	3074	(121)

Blades



	Model	Width		Height	
		mm	(in)	mm	(in)
Angle	All	1829/2134	(72/84)	614	(24)
Dozer	All	2002/2342	(79/92)	619	(24)

Brooms



	Model	Sweeping Width		Brush Diameter	
		mm	(in)	mm	(in)
Angle	BA18 All	2134	(84)	813	(32)
Pick Up	BP15B All	1524	(60)	660	(26)
	BP18B C & D Series Models/ 236B3/ 252B3	1829	(72)	660	(26)
Utility	BU115 All	1510	(59)	660	(26)
	BU118 C & D Series Models/ 236B3/ 252B3	1865	(73)	660	(26)

Brushcutters



	Model	Working Width		Tip Speed fpm	Max Cutting Diameter	
		mm	(in)		mm	(in)
BR160	216B3/ 226B3/ 242B3/ 247B3/ 257B3/ 259B3	1524	(60)	13080-18360	431	(950)
BR166	All	1676	(66)	10270-14420	476	(1050)
BR172	All	1829	(72)	11210-15730	499	(1100)
BR272	226B3	1829	(72)	14940-19660	508	(1120)
BR378	C & D Series Models	1981	(78)	11130-19030	535	(1180)

Buckets



	Model	Width Range		Capacity Range	
		mm	(in)	m ³	(yd ³)
Dirt	All	1372-1981	(54-78)	0.3-0.44	(0.4-0.57)
General Purpose	All	1524-2134	(60-84)	0.36-0.63	(0.5-0.82)
Light Material	All	1829-2438	(72-96)	0.7-0.93	(0.9-1.22)
Multi-Purpose	All	1524-2134	(60-84)	0.3-0.4	(0.43-0.56)
Utility	All	1524-1829	(60-72)	0.4-0.5	(0.6-0.7)



	Model	Width Range		Jaw Opening	
		mm	(in)	mm	(in)
Industrial Grapple	All	1524-1981	(60-78)	1016	(40)
Utility Grapple	All	1676/1829	(66/72)	902	(35.5)

Cold Planers



	Model	Drum Width		Number of Bits (conical)
		mm	(in)	
PC203	All	305	(12)	28
PC204	226B3-299D	450	(18)	48
PC205	C & D Series Models/ 226B3	450	(18)	48
PC206	C & D Series Models/ 226B3	610	(24)	60
PC210	C & D Series Models	1000	(40)	78

Skid Steer, Multi Terrain & Compact Track Loaders continued

216B3 242B3 252B3 259B3 277C2 289C2
 226B3 246C 256C 262C2 279C2 299D
 236B3 247B3 257B3 272D 287C2



Forks

	Model	Time Length mm (in)	Fork Time Width mm (in)
Pallet	All	910-1220 (36-48)	100 (4)
	Model	Width mm (in)	Exposed Fork Time Length mm (in)
Utility	All	1676/1829 (66/72)	627 (24.7)
Utility Grapple	All	1676/1829 (66/72)	627 (24.7)
Industrial Grapple	All	1676/1829 (66/72)	559 (22)



Hammers

	Model	Operating Weight kg (lb)	Blow Rate blows/min	Tool Diameter mm (in)
H55D s	All	250 (550)	1022-2300	56 (2.20)
H65D s	All	371 (818)	700-2000	65 (2.56)



Material Handling Arms

	Model	Width w/ side step mm (in)	Load Length (end point) mm (in)
Fixed Length	All	1309 (52)	768 (30)



Mulchers

	Model	Working Width mm (in)	Max Cutting Diameter mm (in)
HM312	C & D Series Models	1640 (65)	200 (8)
HM315	C & D Series Models	1829 (72)	200 (8)



Rakes

	Model	Jaw Opening mm (in)	Width mm (in)	
Industrial Grapple	All	940 (37)	1829/2134 (72/84)	
	Model	Working Width mm (in)	Bucket Capacity m ³ (ft ³)	
Landscape Rakes	LR15B	All	1576 (62)	0.3 (10.8)
	LR18B	236B3-299D	1883 (74)	0.3 (11.9)
	Model	Drum Width mm (in)	Max Angling (right or left) degrees	
Power Box Rakes	PR172	All	1829 (72)	20
	PR184	All	2134 (84)	20
	PR190	All	2286 (90)	20



Snow Blowers

	Model	Intake Width mm (in)	Throw Distance m (ft)
SR117	216B3/ 226B3/ 242B3/ 247B3/ 257B3/ 259B3	1702 (67)	9.1 (30)
SR118	C & D Series Models/ 236B3/ 252B3/ 242B3/ 257B3/ 259B3	1854 (73)	12.2 (40)
SR121	C & D Series Models/ 236B3/ 252B3	2159 (85)	12.2 (40)
SR318	C & D Series Models/ 226B3	1854 (73)	13.7 (45)
SR321	C & D Series Models/ 226B3	2159 (85)	13.7 (45)



Stump Grinders

	Model	Width mm (in)	Length mm (in)
SG16B	All	1175 (46)	1737 (69)
SG18B	C & D Series Models/ 226B3	1175 (46)	1737 (69)



Shears

	Model	Force at Throat kN (Sh Ton)	Jaw Opening mm (in)
S305	236B3-299D	1812 (204)	240 (9.4)



Skid Steer, Multi Terrain & Compact Track Loaders continued



216B3	242B3	252B3	259B3	277C2	289C2
226B3	246C	256C	262C2	279C2	299D
236B3	247B3	257B3	272D	287C2	

Tillers



	Model	Width		Working Depth	
		mm	(in)	mm	(in)
LT13B	All	1321	(52)	25-152	(1-6)
LT18B	236B3-299D	1847	(73)	25-152	(1-6)

Trenchers



	Model	Overall Width		Working Depth	
		mm	(in)	mm	(in)
T6B	All	1426	(56)	914	(36)
T9B	All	1901	(75)	1219	(48)
T15B	C & D Series Models/ 226B3	1901	(75)	1524	(60)

Vibratory Drum Compactors



	Model	Drum Width		Dynamic Force	
		mm	(in)	kg	(lb)
CV16B	All	1676	(66)	5399	(11903)
CV18B	C & D Series Models/ 236B3/ 252B3	1854	(73)	5399	(11903)

Vibratory Plate Compactors



	Model	Impulse Force		Cycles/min	Base Plate Width	
		kN	lbf		mm	(in)
CVP16	All*	16	(3650)	2200	305	(12)

* Only for use with the BH150/BH160 Backhoe attachment.

Wheel Saw



	Model	Drum Width		Depth of Cut	
		mm	(in)	mm	(in)
SW45	C & D Series Models/ 226B3	80/160/200	(3/6/8)	457	(18)
SW60	C & D Series Models	160/200	(6/8)	610	(24)

